

## AV-Multicriteria Detector

Axis EN analogue detectors are designed around a fully digital protocol. The analogue addressable multicriteria detector combines a photoelectric and thermal sensing element with a very sophisticated algorithm.

A symmetrical smoke chamber ensures optimal smoke sensitivity from all directions. The double dust trap protects the smoke chamber from airborne contamination and external light. A special dust compensation algorithm reduces maintenance periods.

A single, centrally positioned, thermistor supervises ambient temperature with low thermal inertia.

The detector efficiently analyses the status of the protected area guaranteeing a high rejection to false and unwanted alarms.

Continuous screen provides a high level of protection from small insects.

The unit provides a fast and secure response.

A Unique range of Decorline finishes are available



### Features

- Provides high reliability and error detection
- Short circuit isolators in each device to the requirements of EN54-17
- Large capacity, up to 240 devices per loop
- Auto addressing capability by the control panel or manually using a handheld programmer (20-VPU100-ADV)
- Digital checking of double address
- Line quality information
- Bicolour (red green) LED driven by the control panel
- Day / night operation
- 4 selectable alarm thresholds
- Programmable remote LED output

### Specification

Power Supply	18-40 V
Average Current Consumption	I=70 uA
Output driver current	I out=6mA @24Vdc
LED current consumption	I led=6mA @24Vdc
Operating Temperature Range	-30°C / +70°C
Humidity (non condensing) 95% RH	95% RH
Dimensions H x D mm	110 x 54
Weight	130 g
IP Rating	42 with WP100 silicon protection, 40 without

\*) Product operates down to 15 V, but without LED indication

### Order Codes and Options

20-V200-ADV	AV Multicriteria Detector
-------------	---------------------------

[Check if this document is up to date](#) | [Give us feedback](#)

Advanced, The Bridges, Balliol Business Park, Newcastle, NE12 8EW, UK T: +44 (0)845 894 7000, E: [enquiries@advancedco.com](mailto:enquiries@advancedco.com), W: [www.advancedco.com](http://www.advancedco.com)

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.