Axis EN

Axis EN Panel Spares

A range of spares and accessories for the Axis En series control panels and ancillaries.

Order Codes and Options

Mxs-501V	Spare single loop base card	Mxs-509	Spare paper roll for Mxp-512
Mxs-502V	Spare 1-2 loop base card	Mxs-505	Spare key for MxPro 5 glazed door
Mxs-503V	Spare 1-4 loop base card	Mxs-511	Spare access enable keyswitch (Lorlin style)
Mxs-504	Spare display card	Mxp-516	Spare 2-position keyswitch - trapped (Lorlin style)
Mxs-506	Spare Mx-5010 card only	Mxs-517	Spare 2-position keyswitch - un-trapped (Lorlin style)
Mxs-506/FT	Spare Mx-5010 card only - Fault Tolerant		
Mxs-507	Spare Mx-5020 card only		
Mxs-507/FT	Spare Mx-5020 card only - Fault tolerant		
Mxs-508	Spare Mx-5030 card only		
Mxs-508/FT	Spare Mx-5030 card only - Fault tolerant		

Compatibility

Please note the Mx-5200/Mx-5400 are not available for use on the Nittan Evolution protocol.

Advanced, The Bridges, Balliol Business Park, Newcastle upon Tyne, NE12 8EW, UK T: +44 (0)345 894 7000 E: enquiries@advancedco.com
W: www.advancedco.com

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.

Axis EN

Axis EN Device Spares

A range of spares and accessories for the Axis En series field devices and ancillaries.

Order Codes and Options

20-WP100-ADV	Silicon base cover	20-LIDBA100-ADV	Cap for 32 tone sounder
20-MB100-ADV	Mounting box for Axis module	20-TDM-ADV	Detector test magnet
20-DMB100-ADV	Deep mounting box for Axis module	20-DC100-ADV	Dust cover for sensor (pack 50)
20-CI-ADV	Integral call point cover		

Advanced, The Bridges, Balliol Business Park, Newcastle upon Tyne, NE12 8EW, UK T: +44 (0)345 894 7000 E: enquiries@advancedco.com
W: www.advancedco.com

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.

Axis EN

Device Programming Unit


The handheld programming unit allows you to set all of the programmable variables from the device range including the loop address. It also enables you to read the analogue value from a device or change the heat detector setting from rate of rise to high temperature.

When used with the connection lead you can program/read in information from call points and sounders adding loop addresses or program one of the sounder's 32 operating modes.



Features

- Easy to use
- Clear device display
- Auto shut-off to save battery
- Displays the sensor analogue values
- Includes the programming cables for backward compatibility.



Specification

Power supply battery specifications	6LR61 type (9V)
Dimensions	88mm x 88mm x 61mm
Operating temperature range (no icing)	-10°C to +55°C
Maximum humidity (no condensing)	95% RH
Weight	200g

Order Codes and Options

Axis-PU:	Programming Unit

Advanced, The Bridges, Balliol Business Park, Newcastle upon Tyne, NE12 8EW, UK T: +44 (0)345 894 7000 E: enquiries@advancedco.com
W: www.advancedco.com

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.

Axis EN

Silicone Base Gasket

The silicone base gasket sits between a device and the ceiling to prevent moisture ingress.

The gasket fits any Axis EN detector (smoke, heat or multi) and sits between the plastic base and the surface it is mounted on.



Order Codes and Options

Axis-WP	Silicone Base Gasket


Advanced, The Bridges, Balliol Business Park, Newcastle upon Tyne, NE12 8EW, UK T: +44 (0)345 894 7000 E: enquiries@advancedco.com
W: www.advancedco.com

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.

Axis EN


32-Tone Sounder Cap

A protective cover for use with standalone sounder bases or sounder/beacon bases. The cover provides protection against any external ingress as well as ensuring clean lines and aesthetic appeal.



Listings and Approvals

- Material complies with: IEC 60695-11-10:1999



Order Codes and Options

20-LID100-SG/R-ADV	Red cap for 32-tone sounder
20-LID100-SG/W-ADV	White cap for 32-tone sounder / VB100 base

Advanced, The Bridges, Balliol Business Park, Newcastle upon Tyne, NE12 8EW, UK T: +44 (0)345 894 7000 E: enquiries@advancedco.com
W: www.advancedco.com

As our policy is one of constant product improvement the right is therefore reserved to modify product specifications without prior notice.